

Author Index

- Abraham, D., see Tuan, R.S., 191
 Aggarwal, A., see Mowatt, M.R., 215
 Aikawa, M., see Borre, M.B., 119
 Allsopp, B.A., see Baylis, H.A., 133
 Alvarez, R.M., see Li, B.-W., 315
 Axelsen, N.H., see Borre, M.B., 119
- Balfe, P., see Ranford-Cartwright, L.C., 239
 Baratte, B., see Duvaux-Miret, O., 337
 Baylis, H.A., Sohal, S.K., Carrington, M., Bishop, R.P. and Allsopp, B.A., An unusual repetitive gene family in *Theileria parva* which is stage-specifically transcribed, 133
 Beck, J.T. and Ullman, B., Biopterin conversion to reduced folates by *Leishmania donovani* promastigotes, 21
 Bishop, R.P., see Baylis, H.A., 133
 Blackman, M.J., Ling, I.T., Nicholls, S.C. and Holder, A.A., Proteolytic processing of the *Plasmodium falciparum* merozoite surface protein-1 produces a membrane-bound fragment containing two epidermal growth factor-like domains, 29
 Blackman, M.J., Whittle, H. and Holder, A.A., Processing of the *Plasmodium falciparum* major merozoite surface protein-1: identification of a 33-kilodalton secondary processing product which is shed prior to erythrocyte invasion, 35
 Borre, M.B., Dziegiel, M., Høgh, B., Peterson, E., Rieneck, K., Riley, E., Meis, J.F., Aikawa, M., Nakamura, K., Harada, M., Wind, A., Jakobsen, P.H., Cowland, J., Jepsen, S., Axelsen, N.H. and Vuust, J., Primary structure and localization of a conserved immunogenic *Plasmodium falciparum* glutamate rich protein (GLURP) expressed in both the preerythrocytic and erythrocytic stages of the vertebrate life cycle, 119
 Bostian, K.A., see El-Sherbeini, M., 83
 Brown, H.J. and Coppel, R.L., Primary structure of a *Plasmodium falciparum* rhoptry antigen, 99
 Bruchhaus, I., see Tannich, E., 61
 Bzik, D.J., see Fox, B.A., 289
- Callahan, H.L., Crouch, R.K. and James, E.R., *Dirofilaria immitis* superoxide dismutase: purification and characterization, 245
 Capron, A., see Duvaux-Miret, O., 337
 Carrington, M., see Baylis, H.A., 133
 Carter, R., see Ranford-Cartwright, L.C., 239
 Cazzulo, J.J., see Raimondi, A., 341
 Chandrashekar, R., see Li, B.-W., 315
 Chang, S. and Opperman, C.H., Characterization of acetylcholinesterase molecular forms of the root-knot nematode, *Meloidogyne*, 205
 Cheng, Q., Jones, G., Xiang Liu, E., Kidson, C. and Saul, A., Identification of a common *Plasmodium* epitope (CPE) recognised by a pan-specific inhibitory monoclonal antibody, 73
 Clark, C.G. and Diamond, L.S., Ribosomal RNA genes of 'pathogenic' and 'nonpathogenic' *Entamoeba histolytica* are distinct, 297
 Clarke, L.E., see Tomley, F.M., 277
 Clarke, M.W., see Karcz, S.R., 333
 Connors, V.A., see Lodes, M.J., 1
 Cooper, R., Inverso, J.A., Espinosa, M., Nogueira, N. and Cross, G.A.M., Characterization of a candidate gene for GP72, an insect stage-specific antigen of *Trypanosoma cruzi*, 45
 Coppel, R.L., see Brown, H.J., 99
 Cowland, J., see Borre, M.B., 119
 Crary, J.L., see Li, W.-l., 157
 Cross, G.A.M., see Cooper, R., 45
 Crouch, R.K., see Callahan, H.L., 245
- Das, A., see Li, W.-l., 157
 De Jong-Brink, M., see Schallig, H.D.F.H., 169
 Dekaban, G.A., see Karcz, S.R., 333
 Diamond, L.S., see Clark, C.G., 297
 Dijkema, R., see Tomley, F.M., 277
 Dissous, C., see Duvaux-Miret, O., 337
 Donelson, J.E., see Erond, N.E., 303
 Donelson, J.E., see Nafziger, D.A., 325
 Douglas, J.G., see Kanesa-Thanan, N., 11
 Duvaux-Miret, O., Baratte, B., Dissous, C. and Capron, A., Molecular cloning and sequencing of the α -tubulin gene from *Schistosoma mansoni* (Short Communication), 337
 Dziegiel, M., see Borre, M.B., 119
- El-Sherbeini, M., Ramadan, N., Bostian, K.A. and Knopf, P.M., Cloning and sequence analysis of the *Schistosoma mansoni* membrane glycoprotein antigen gene GP22, 83
 Elmendorf, H.G., see Haldar, K., 143
 Erond, N.E. and Donelson, J.E., Characterization of trypanosome protein phosphatase 1 and 2A catalytic subunits, 303
 Espinosa, M., see Cooper, R., 45
- Fox, B.A. and Bzik, D.J., The primary structure of *Plasmodium falciparum* DNA polymerase δ is similar to drug sensitive δ -like viral DNA polymerases, 289
- Ghori, N., see Haldar, K., 143
- Haldar, K., Uyetake, L., Ghori, N., Elmendorf, H.G. and Li, W.-l., The accumulation and metabolism of a fluorescent ceramide derivative in *Plasmodium falciparum*-infected erythrocytes, 143
 Haldar, K., see Li, W.-l., 157
 Harada, M., see Borre, M.B., 119
 Harrison, R.A., see Wright, M.D., 177
 Hellman, U., see Raimondi, A., 341
 Herrera, M., see Snewin, V.A., 265
 Herrera, S., see Snewin, V.A., 265
 Holder, A.A., see Blackman, M.J., 29
 Holder, A.A., see Blackman, M.J., 35
 Horstmann, R.D., see Tannich, E., 61
 Hundt, E., see Nolte, D., 253
 Hunter, C.A., see Nafziger, D.A., 325
 Høgh, B., see Borre, M.B., 119
- Inverso, J.A., see Cooper, R., 45
- Jakobsen, P.H., see Borre, M.B., 119
 James, E.R., see Callahan, H.L., 245
 Jepsen, S., see Borre, M.B., 119
 Jones, G., see Cheng, Q., 73
- Kanesa-Thanan, N., Douglas, J.G. and Kazura, J.W.,

- Diethylcarbamazine inhibits endothelial and microfilarial prostanoid metabolism in vitro, 11
- Karcz, S.R., Podesta, R.B., Siddiqui, A.A., Dekaban, G.A., Strejan, G.H. and Clarke, M.W., Molecular cloning and sequence analysis of a calcium-activated neutral protease (calpain) from *Schistosoma mansoni* (Short Communication), 333
- Kawazoe, U., see Tomley, F.M., 277
- Kazura, J.W., see Kanessa-Thanan, N., 11
- Kidson, C., see Cheng, Q., 73
- Knapp, B., see Nolte, D., 253
- Knopf, P.M., see El-Sherbeini, M., 83
- Kok, J.J., see Tomley, F.M., 277
- Langsley, G., see Nolte, D., 253
- Langsley, G., see Snewin, V.A., 265
- Li, B.-W., Chandrashekar, R., Alvarez, R.M., Liftis, F. and Weil, G.J., Identification of paramyosin as a potential protective antigen against *Brugia malayi* infection in jirds, 315
- Li, W.-l., Das, A., Song, J.-y., Crary, J.L. and Haldar, K., Stage-specific expression of plasmodial proteins containing an antigenic marker of the intraerythrocytic cisternae, 157
- Li, W.-l., see Haldar, K., 143
- Liftis, F., see Li, B.-W., 315
- Ling, I.T., see Blackman, M.J., 29
- Lodes, M.J., Connors, V.A. and Yoshino, T.P., Isolation and functional characterization of snail hemocyte-modulating polypeptide from primary sporocysts of *Schistosoma mansoni*, 1
- Magee, R.M., see Schallig, H.D.F.H., 169
- McElwain, T.F., see Suarez, C.E., 329
- McMahon-Pratt, D., see Rainey, P.M., 111
- Meis, J.F., see Borre, M.B., 119
- Melcher, A.M., see Wright, M.D., 177
- Meshnick, S.R., Thomas, A., Ranz, A., Xu, C.-M. and Pan, H.-Z., Artemisinin (qinghaosu): the role of intracellular hemin in its mechanism, of antimalarial action, 181
- Mishra, V.S., see Suarez, C.E., 329
- Mitchell, G.F., see Wright, M.D., 177
- Mowatt, M.R., Aggarwal, A. and Nash, T.E., Carboxy-terminal sequence conservation among variant-specific surface proteins of *Giardia lamblia*, 215
- Mulligan, M.M., see Tuan, R.S., 191
- Nafziger, D.A., Recinos, R.F., Hunter, C.A. and Donelson, J.E., Patients infected with *Leishmania donovani chagasi* can have antibodies that recognize heat shock and acidic ribosomal proteins of *Trypanosoma cruzi* (Short Communication), 325
- Nakamura, K., see Borre, M.B., 119
- Nash, T.E., see Mowatt, M.R., 215
- Newport, G.R., see Wright, M.D., 177
- Nicholls, S.C., see Blackman, M.J., 29
- Nogueira, N., see Cooper, R., 45
- Nolte, D., Hundt, E., Langsley, G. and Knapp, B., A *Plasmodium falciparum* blood stage antigen highly homologous to the glycophorin binding protein GBP, 253
- Opperman, C.H., see Chang, S., 205
- Palmer, G.H., see Suarez, C.E., 329
- Pan, A.A., see Rainey, P.M., 111
- Pan, H.-Z., see Meshnick, S.R., 181
- Perler, F.B., see Tuan, R.S., 191
- Peterson, E., see Borre, M.B., 119
- Podesta, R.B., see Karcz, S.R., 333
- Raimondi, A., Wernstedt, C., Hellman, U. and Cazzulo, J.J., Degradation of oxidized insulin A and B chains by the major cysteine proteinase (cruzipain) for *Trypanosoma cruzi* epimastigotes (Short Communication), 341
- Rainey, P.M., Spithill, T.W., McMahon-Pratt, D. and Pan, A.A., Biochemical and molecular characterization of *Leishmania pifanoi* amastigotes in continuous axenic culture, 111
- Rajan, T.V., see Rothstein, N., 229
- Ramadan, N., see El-Sherbeini, M., 83
- Ranford-Cartwright, L.C., Balfe, P., Carter, R. and Walliker, D., Genetic hybrids of *Plasmodium falciparum* identified by amplification of genomic DNA from single oocysts, 239
- Ranz, A., see Meshnick, S.R., 181
- Recinos, R.F., see Nafziger, D.A., 325
- Rees, H.H., see Schallig, H.D.F.H., 169
- Rieneck, K., see Borre, M.B., 119
- Riley, E., see Borre, M.B., 119
- Rothstein, N. and Rajan, T.V., Characterization of an hsp70 gene from the human filarial parasite *Brugia malayi* (Nematoda), 229
- Sanchez, G., see Snewin, V.A., 265
- Saul, A., see Cheng, Q., 73
- Schallig, H.D.F.H., Young, N.J., Magee, R.M., De Jong-Brink, M. and Rees, H.H., Identification of free and conjugated ecdysteroids in cercariae of the schistosome *Trichobilharzia ocellata*, 169
- Scherf, A., see Snewin, V.A., 265
- Shepley, K.J., see Tuan, R.S., 191
- Siddiqui, A.A., see Karcz, S.R., 333
- Snewin, V.A., Herrera, M., Sanchez, G., Scherf, A., Langsley, G. and Herrera, S., Polymorphism of the alleles of the merozoite surface antigens MSA1 and MSA2 in *Plasmodium falciparum* wild isolates from Colombia, 265
- Sohal, S.K., see Baylis, H.A., 133
- Song, J.-y., see Li, W.-l., 157
- Spithill, T.W., see Rainey, P.M., 111
- Stephens, E.B., see Suarez, C.E., 329
- Strejan, G.H., see Karcz, S.R., 333
- Suarez, C.E., McElwain, T.F., Stephens, E.B., Mishra, V.S. and Palmer, G.H., Sequence conservation among merozoite apical complex proteins of *Babesia bovis*, *Babesia bigemina* and other apicomplexa (Short Communication), 329
- Tannich, E., Bruchhaus, I., Walter, R.D. and Horstmann, R.D., Pathogenic and nonpathogenic *Entamoeba histolytica*: identification and molecular cloning of an iron-containing superoxide dismutase, 61
- Thomas, A., see Meshnick, S.R., 181
- Tomley, F.M., Clarke, L.E., Kawazoe, U., Dijkema, R. and Kok, J.J., Sequence of the gene encoding an immunodominant microneme protein of *Eimeria tenella*, 277
- Tuan, R.S., Shepley, K.J., Mulligan, M.M., Abraham, D. and Perler, F.B., Histochemical localization of gene expression in *Onchocerca volvulus*: in situ DNA histochemistry and immunocytochemistry, 191
- Ullman, B., see Beck, J.T., 21
- Uyetake, L., see Haldar, K., 143

- Vuust, J., see Borre, M.B., 119
- Walliker, D., see Ranford-Cartwright, L.C., 239
- Walter, R.D., see Tannich, E., 61
- Weil, G.J., see Li, B.-W., 315
- Wernstedt, C., see Raimondi, A., 341
- Whittle, H., see Blackman, M.J., 35
- Wind, A., see Borre, M.B., 119
- Wright, M.D., Harrison, R.A., Melcher, A.M., Newport, G.R. and Mitchell, G.F., Another 26-kilodalton glutathione S-transferase of *Schistosoma mansoni* (Short Communications), 177
- Xiang Liu, E., see Cheng, Q., 73
- Xu, C.-M., see Meshnick, S.R., 181
- Yoshino, T.P., see Lodes, M.J., 1
- Young, N.J., see Schallig, H.D.F.H., 169

Subject Index

- Acetylcholinesterase, 205
- African trypanosome, 303
- Allelic polymorphism, 265
- Amastigote, 111
- Anti-oxidant enzyme, 245
- Antigenic variation, 215
- Antimalarial, 181
- Artemisinin, 181
- Biomphalaria glabrata*, 1
- Brugia malayi*, 11, 229, 315
- Chagas' disease, 325
- Circumsporozoite antigen, 277
- Cisternal epitope, 157
- Consensus PCR, 289
- Conservation, 119
- Cross-reacting epitope, 325
- Culture, 111
- Cysteine-rich protein, 215
- Developmental regulation, 111
- Diagnosis, 325
- Diethylcarbazine, 11
- Differentiation antigen, 45
- Dirofilaria immitis*, 245
- DNA sequence, 277
- DNA polymerase δ , 289
- cDNA sequence, 61
- Ecdysteroid, 169
- Eicosanoid, 11
- Eimeria tenella*, 277
- Entamoeba histolytica*, 61, 297
- Epidermal growth factor, 29
- Epitope, 73
- Excretory-secretory product, 1
- Exoantigen, 119
- Expression and chromosomal location, 289
- Filariasis, 191, 315
- Fluorescent sphingolipid, 143
- Folate biosynthesis, 21
- Gene family, 133, 353
- Gene regulation, 229
- Gene structure, 353
- Gene, 45
- Genomic DNA cloning, 289
- Giardia lamblia*, 215
- Glutamate-rich protein, 119
- Glycophorin binding protein, 353
- Glycoprotein, 45
- Haemocyte, 1
- Hemozoin, 181
- Hsp70, 229
- Immune response, 73
- Immunity, 315
- Immunoblot, 303
- Immunohistochemistry, 191
- Immunoscreen, 325
- In situ hybridization, 191
- Intron, 9
- Iron-containing superoxide dismutase, 61
- Jird, 315
- Leishmania donovani*, 21
- Leishmania pifanoi*, 111
- Leishmaniasis, 325
- Lymnaea stagnalis*, 169
- Malaria, 35, 181
- Malarial parasite, 143
- Meloidogyne*, 205
- Membrane protein, 157
- Membrane glycoprotein, 83
- Merozoite surface protein-1, 29, 35
- Merozoite surface antigen, 265
- Microfilaria, 11, 191
- Microneme, 277
- Monoclonal antibody, 73, 277
- Mosquito, 239
- MSA-1 gene, 239
- Multiple promoters, 83
- Nematicide, 205
- Nematode, 315
- Nucleotide and amino acid sequence, 289
- Oocyst, 239
- Oxidant, 181
- Paramyosin, 315
- Pathogenicity, 297
- Peroxide, 181

- Plasmodium, 73, 181
Plasmodium falciparum, 29, 35, 99, 119, 157, 239, 265, 289, 353
Polymerase chain reaction, 45, 239, 297
Polypeptide synthesis, 1
Prostaglandin, 11
Protein phosphatase, 303
Protein sequence, 45
Protozoa, 303
Pterin metabolism, 21
- Qinghaosu, 181
- Recombinant protein, 303
Repeated sequences, 119
RhopH3, 99
Rhoptry antigen, 99
Riboprinting, 297
Ribosomal RNA gene, 297
mRNA localization, 191
- Root-knot nematode, 205
- Schistosoma mansoni*, 1, 83, 177
Sequence analysis, 265
Sequencing, 73
Sporocyst, 1
Stage specificity, 133
Superoxide dismutase, 245
- T- and B-cell sites, 119
Theileria parva, 133
Thrombospondin-related anonymous protein, 277
Trematode, 169
Trichobilharzia ocellata, 169
Trypanosoma cruzi, 45
- Vaccine development, 83
Variant-specific surface protein, 215

